OtoRead

OAEs **made** fast, simple and reliable







Made to simplify your workday

OtoRead™ combines fast and comprehensive DPOAE and TEOAE testing of newborn babies, children and adults in an easy to use, handheld device.

Easy to focus on your patient Imagine if you could focus entirely on your patients. With OtoRead™ it is possible. Testing only takes a few seconds and is supported by easy result interpretation and data management.

Hearing loss in school children Identification and management of hearing loss in school age children is vital to language development and a child's success in the classroom. OtoRead™ functions effectively in classrooms and home environments.

The easy-to-understand displays clearly conveys screening progress and results, and indicates what to do next.

The caring choice for newborn hearing screening

OtoRead™ is ideal for newborn hearing screening, offering predefined pass refer criteria and an intuitive user interface with color display screens to make result interpretation easier.

Diagnostic testing across a wide range of frequencies

OtoReadTM is also suitable for an ENT or clinical audiology setting, testing across a wide range of frequencies. OtoReadTM offers the flexibility to conduct full diagnostic DPOAE assessments of up to 12 frequencies - offering a greater amount of information to the integrity

of your patients' cochlear function. It can be used to evaluate ototoxicity, occupational hearing loss onset and <u>functional hearing loss</u> cases.



has been tailored to simplify your workflow. The test automatically starts when the probe is placed in your patient's ear. A few seconds later clear test results will be displayed.

Probe tips

Small, lightweight Special eartips

customized for

newborn ears

replace, if blocked 20 exchangeable probe tips included

Easy and fast to

Hook

Allows convenient, hands free operation

Probe holder

Secures and prevents damage to the probe



A caring design made to support your workflow

peed and accuracy are essential in OAE testing, especially in newborn screening. The OtoRead™ workflow is optimized to ease your day.

Designed with ergonomic care

OtoRead™ is ergonomically designed for an optimal grip. It is small, portable and shaped to be operated in one hand, by anyone. Alternatively, enjoy the freedom of hands-free operation. The OtoRead™ hook allows you to stabilize the device while you prepare your patient.

Easy to navigate and read test results

You will instantly discover how simple OtoRead™ is to use when you start your test. It has a four arrow keypad making it intuitive and fast to navigate and access the desired screens. The colorcoded icons guide you through the process. Once you have placed the probe in the patient's ear, simply press one button and your device starts testing. After a few seconds, the result will show a green Pass or red Refer indication.

Optimized lightweigt probe for small ears

OtoRead™ introduces a new lightweight probe optimized for small ears. It is easy to place in the ear and get a seal. If necessary, you can easily replace the probe tip. It relieves you of the stress of clearing blocked probes between patients, guaranteeing a smooth workflow without interruptions.

Fast printing of results

OtoRead™ allows you to quickly and easily print test results. As an option, OtoRead™ can be equipped with a small thermal printer. Printing or transferring data to the PC can be done via Bluetooth. The test data is easy to read and will give a Pass or Refer indication for each ear.

12 kHz for ototoxic monitoring

The diagnostic version of the OtoRead™ gives you the option to also test up to 12 kHz.

Easy transfer of test results

The OtoRead™ PC module is compatible with both Oz and HiTrack, allowing fast and easy export of OtoRead™ results once your test is complete.

Pre-defined or user-defined test protocols

As a compliment to your full audiometric test battery, or to estimate thresholds on patients who cannot provide reliable responses to conventional audiometric testing, OtoRead™ can be used with either pre-defined or user-defined testing protocols.

Stores up to 250 test results


With an internal storage of up to 250 tests, you do not need to worry that your OtoRead™ runs out of storage space.



Select test



Check seal



Frequency specific result indication

OtoRead™ licenses **made** for every need

The choice is all yours. An OtoRead™ for every situation is available.

Choose the license that suits your needs

Whether your testing protocols call for transient evoked or distortion product OAE testing, OtoReadTM provides the optimal solution. It can be used for a simple screening or for a more detailed assessment in diagnostic mode, testing across a wide range of frequencies. OtoReadTM is available in 6 versions allowing you to choose the one that best suits your screening or clinical

The choice is all yours. An OtoRead™ for every situation is available.

creener+	DP test options	TE test options
	· 2 Fixed protocols - DP 2s & DP 4s	· 2 Fixed Protocols - TE 325 & TE 645
	· 2 - 5 kHz	· 1.5 - 4 kHz
	· 65/55 dB SPL	· 8o dB pe SPL
	· 6 dB SNR	· 4 dB SNR
	· 3 out of 4 frequencies for a pass	· 3 out of 6 frequencies for a pass
	Test time of 2 or 4 sec per frequency	Test time of 32 or 64 sec (max test time)
Screener DPOAE	 2 Fixed protocols - DP 2s & DP 4s 2 - 5 kHz 65/55 dB SPL 6 dB SNR 3 out of 4 frequencies for a pass Test time of 2 or 4 sec per frequency 	n/a
Screener TEOAE	n/a	 2 Fixed Protocols - TE 32s & TE 64s 1.5 - 4 kHz 80 dB pe SPL 4 dB SNR 3 out of 6 frequencies for a pass Test time of 32 or 64 sec (max test time)
standard DPOAE	 1 screening + 4 customizable protocols 1.5 - 12 kHz 12 frequency test protocols available Customizable stimulus intensity, SNR, test time, number of frequencies required for a pass 	n/a
Standard TEOAE	n/a	 1 screening + 2 customizable protocols User selectable frequencies between 0.7 4 kHz 80 dB pe SPL Customizable SNR, test time, number of frequencies required for a pass
Clinical	• 1 screening + 4 customizable protocols	· 1 screening + 2 customizable protocols
	· 1.5 - 12 kHz	· User selectable frequencies between 0.7
	• 12 frequency test protocols available	- 4 kHz
	Customizable stimulus intensity, SNR, test time, number of frequencies required for a pass	80 dB pe SPL Customizable SNR, test time, number of frequencies required for a pass

© Interacoustics a/s - 8508520 - 4 - 03/2019

Science made smarter

Interacoustics is more than state-ofthe-art solutions

Our mission is clear. We want to lead the way in audiology and balance by translating complexity into clarity:

- Challenges made into clear solutions
- Knowledge made practical
- Invisible medical conditions made tangible and treatable

Our advanced technology and sophisticated solutions ease the lives of healthcare professionals.

We will continue to set the standard for an entire industry. Not for the sake of science. But for the sake of enabling professionals to provide excellent treatment for their millions of patients across the globe.

Interacoustics.com

Interacoustics A/S

Audiometer Allé 1 5500 Middelfart Denmark

+45 6371 3555 info@interacoustics.com

interacoustics.com



Related products

Eclipse
One platform for AEP, ASSR,
VEMP and OAE.

Titan Tympanometry, OAE, ABRIS and WBT



Handheld OAE & automated
ABR screener

Product specifications

All technical and hardware specifications concerning all products can be downloaded from our website.



Audiometry Tympanometry ABR **OAE** Hearing Aid Fitting Balance